

## Acetaminophen (Tylenol, etc.) & Ibuprofen (Motrin, Advil, etc) Dosages

McKenzie Pediatrics 2007

If possible, use weight for dose; otherwise use age.

### ACETAMINOPHEN

Doses may be repeated every 4 hours but not more than 5 times a day.

		Infants' Concentrated Drops 80mg/0.8ml	Children's Suspension Liquid 160mg/5ml	Children's Soft Chews 80mg each	Junior Strength Chews 160mg each
Weight	Age	Dropperful	Teaspoon	Tablet	Tablet
6 - 11 lbs	0 - 3 mos	½ ( = 0.4 ml)			
12 - 17 lbs	4 - 11 mos	1 ( = 0.8 ml)	½ tsp		
18 - 23 lbs	12 - 23 mos	1 ½ ( = 0.8 + 0.4 ml)	¾ tsp		
24 - 35 lbs	2 - 3 years	2 ( = 0.8 + 0.8 ml)	1 tsp	2	
36 - 47 lbs	4 - 5 years		1 ½ tsp	3	
48 - 59 lbs	6 - 8 years		2 tsp	4	2
60 - 71 lbs	9 - 10 years		2 ½ tsp	5	2 ½
72 - 95 lbs	11 years		3 tsp	6	3
96 lbs & over	12 years				4

### IBUPROFEN

Doses may be repeated every 6 to 8 hours.

		Infants' Concentrated Drops 50mg/1.25ml	Children's Suspension 100mg/5ml	Children's Chews 50mg	Junior Strength Chews 100mg	Junior Strength Caplets 100mg
Weight	Age	Dropperful	Teaspoon	Tablet	Tablet	Caplet
	Under 6 mos	Consult your Doctor				
12 - 17 lbs	6 - 11 mos	1 ( = 1.25 ml)				
18 - 23 lbs	12 - 23 mos	1 ½ ( = 1.875 ml)				
24 - 35 lbs	2 - 3 years		1 tsp	2 tablets		
36 - 47 lbs	4 - 5 years		1 ½ tsp	3 tablets		
48 - 59 lbs	6 - 8 years		2 tsp	4 tablets	2 tablets	2 caplets
60 - 71 lbs	9 - 10 years		2 ½ tsp	5 tablets	2 ½ tablets	2 ½ caplets
72 - 95 lbs	11 years		3 tsp	6 tablets	3 tablets	3 caplets